JP920000429US1
Shippford Oddonhara, et al.
METHOD AND AFFARATUS FOR CONTROLLING POWER AND POWER LOSS
1/8

SN: 10/074,965 At Group: 2181





FIG. 1

JP920000429US1
Shigefuri Odaohhira, et al.
METHOD AND APPARATUS FOR CONTROLLING POWER AND POWER LOSS
2/8


SN: 10/074,985 Art Group: 2181




JP920000429US1 Shipefurii Odanthara METHOD AND APPARATUS FOR CONTROLLING POWER AND POWER LOSS 3/8

FIG. 3

3A




3B



JP920000429US1
Shigerturi Odeothere, et al.
METHOD AND APPARATUS FOR CONTROLLING POWER AND POWER LOSS
4/8

SN: 10/074,985 Art Group: 2181



JP920000129US1
Stigefunt Odenhium, et al.
METHOD AND APPARATUS FOR CONTROLLING POWER AND POWER LOSS
5/8

SN: 10074,965 Aft Group: 2181




FIG. 5


SN: 10/074,985 Art Group: 2181

DC output Vacdc O CTRL Constant voltage High frequency rectifying and mode control smoothing Operation circuit control $\underline{\sim}$ FIG. 6 76 switching section PWM control Switching Frequency section Rectifying and smoothing circuit AC input Vac

JP920000429US1
Shigefuril OdsoNhers, et al.
METHOD AND APPARATUS FOR CONTROLLING POWER AND POWER LOSS
6/8

JP920000129US1
Shipchard Odanthers
METHOD AND APPARATUS FOR CONTROLLING POWER AND POWER LOSS
778


FIG. 7



JP920000429US1
Shipetural Odaohhara
METHOD AND APPARATUS FOR CONTROLLING POWER AND POWER LOSS

FIG. 8

8A Maximum ouput current I_0



8B Output current l_0^2 (= $l_0/100$)

